

Revision date : 2019/04/30 Version: 12.0

Page: 1/11 (30628420/SDS_CPA_US/EN)

1. Identification

Product identifier used on the label

Avert DF Dry Flow Cockroach Bait

Recommended use of the chemical and restriction on use

Recommended use*: biocide Recommended use*: insecticide

* The "Recommended use" identified for this product is provided solely to comply with a Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

Details of the supplier of the safety data sheet

<u>Company:</u> BASF SE 67056 Ludwigshafen GERMANY <u>Contact address:</u> BASF CORPORATION 100 Park Avenue Florham Park, NJ 07932 USA Telephone: +1 973 245-6000

Emergency telephone number

CHEMTREC: 1-800-424-9300 BASF HOTLINE: 1-800-832-HELP (4357)

Other means of identification

Substance number:	396123
EPA Registration number:	499-294
Synonyms:	Abamectin B1

2. Hazards Identification

According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

Label elements

The product does not require a hazard warning label in accordance with GHS criteria.

Hazards not otherwise classified

Revision date : 2019/04/30 Version: 12.0 Page: 2/11 (30628420/SDS_CPA_US/EN)

Labeling of special preparations (GHS):

This product is not combustible in the form in which it is shipped by the manufacturer, but may form a combustible dust through downstream activities (e.g. grinding, pulverizing) that reduce its particle size.

3. Composition / Information on Ingredients

According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

CAS Number	Weight %	Chemical name
71751-41-2	0.05 %	Abamectin
112945-52-5	1.0 - 5.0%	Silica

4. First-Aid Measures

Description of first aid measures

General advice: Remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air.

If on skin:

Wash thoroughly with soap and water.

If in eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open.

If swallowed:

Rinse mouth and then drink 200-300 ml of water.

Most important symptoms and effects, both acute and delayed

Symptoms: (Further) symptoms and / or effects are not known so far

Indication of any immediate medical attention and special treatment needed

 Note to physician
 Symptomatic treatment (decontamination, vital functions).

5. Fire-Fighting Measures

Extinguishing media

Suitable extinguishing media: dry powder, carbon dioxide, water spray

Special hazards arising from the substance or mixture Hazards during fire-fighting: carbon monoxide, carbon dioxide,

Revision date : 2019/04/30 Version: 12.0 Page: 3/11 (30628420/SDS CPA US/EN)

If product is heated above decomposition temperature, toxic vapours will be released. The substances/groups of substances mentioned can be released in case of fire.

Advice for fire-fighters

Protective equipment for fire-fighting:

Firefighters should be equipped with self-contained breathing apparatus and turn-out gear.

Further information:

Evacuate area of all unnecessary personnel. Contain contaminated water/firefighting water. Do not allow to enter drains or waterways. Dusty conditions may ignite explosively in the presence of an ignition source causing flash fire.

6. Accidental release measures

Further accidental release measures:

Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Avoid the formation and build-up of dust - danger of dust explosion. Dust in sufficient concentration can result in an explosive mixture in air. Handle to minimize dusting and eliminate open flame and other sources of ignition.

Personal precautions, protective equipment and emergency procedures

Take appropriate protective measures. Clear area. Shut off source of leak only under safe conditions. Extinguish sources of ignition nearby and downwind. Ensure adequate ventilation. Wear suitable personal protective clothing and equipment.

Environmental precautions

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater. Contain contaminated water/firefighting water. A spill of or in excess of the reportable quantity requires notification to state, local and national emergency authorities. This product is not regulated by CERCLA ('Superfund').

Methods and material for containment and cleaning up

Dike spillage. Sweep/shovel up. Avoid raising dust. Use wet cleaning methods when applicable. Place into suitable containers for reuse or disposal in a licensed facility. Spilled substance/product should be recovered and applied according to label rates whenever possible. If application of spilled substance/product is not possible, then spills should be contained, solidified, and placed in suitable containers for disposal. After decontamination, spill area can be washed with water. Collect wash water for approved disposal.

7. Handling and Storage

Precautions for safe handling

RECOMMENDATIONS ARE FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS. PESTICIDE APPLICATORS & WORKERS must refer to the Product Label and Directions for Use attached to the product. Provide good ventilation of working area (local exhaust ventilation if necessary). Keep away from sources of ignition - No smoking. Keep container tightly sealed. Protect against heat. Handle and open container with care. Do not open until ready to use. Once container is opened, content should be used as soon as possible. Provide means for controlling leaks and spills. Follow label warnings even after container is emptied. The substance/ product may be handled only by appropriately trained personnel. Avoid all direct contact with the substance/product. Avoid contact with the skin, eyes and clothing. Avoid inhalation of dusts/mists/vapours. Wear suitable personal protective clothing and equipment.

Protection against fire and explosion:

Revision date : 2019/04/30 Version: 12.0

Page: 4/11 (30628420/SDS CPA US/EN)

The relevant fire protection measures should be noted. Fire extinguishers should be kept handy. Avoid all sources of ignition: heat, sparks, open flame. Avoid extreme heat. Ground all transfer equipment properly to prevent electrostatic discharge. Electrostatic discharge may cause ignition. Avoid dust formation. Dust in sufficient concentration can result in an explosive mixture in air. Handle to minimize dusting and eliminate open flame and other sources of ignition. Routine housekeeping should be instituted to ensure that dusts do not accumulate on surfaces. Dry powders can build static electricity charges when subjected to the friction of transfer and mixing operations. Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres. Refer to NFPA 654, Standard for the Prevention of Fire and Dust Explosions from the Manufacturing, Processing, and Handling of Combustible Particulate Solids (2013 Edition) for safe handling.

Conditions for safe storage, including any incompatibilities

Segregate from incompatible substances. Segregate from foods and animal feeds. Segregate from textiles and similar materials.

Further information on storage conditions: Keep only in the original container in a cool, dry, wellventilated place away from ignition sources, heat or flame. Protect containers from physical damage. Protect against contamination. The authority permits and storage regulations must be observed.

Storage stability:

May be kept indefinitely if stored properly. If an expiry date is mentioned on the packaging/label this takes priority over the statements on storage duration in this safety data sheet. Protect from temperatures above: 20 °C Changes in the properties of the product may occur if substance/product is stored above indicated

temperature for extended periods of time.

8. Exposure Controls/Personal Protection

Users of a pesticidal product should refer to the product label for personal protective equipment requirements.

Components with occupational exposure limits

Silica	OSHA PEL	TWA value 0.8 mg/m3 ; The exposure limit is calculated from the equation, 80mg/m3)/(%SiO2), using a value of 100% SiO2. Lower percentages of SiO2 will yield higher exposure limits. TWA value 20 millions of particles per cubic foot of air ;
--------	----------	---

Advice on system design:

Whenever possible, engineering controls should be used to minimize the need for personal protective equipment. It is recommended that all dust control equipment such as local exhaust ventilation and material transport systems involved in handling of this product contain explosion relief vents or an explosion suppression system or an oxygen deficient environment. Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment). Use only appropriately classified electrical equipment and powered industrial trucks.

Personal protective equipment

RECOMMENDATIONS FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS:

Revision date : 2019/04/30 Version: 12.0

Respiratory protection:

Wear respiratory protection if ventilation is inadequate. Breathing protection if breathable aerosols/dust are formed.

Hand protection:

Chemical resistant protective gloves, Protective glove selection must be based on the user's assessment of the workplace hazards.

Eye protection:

Safety glasses with side-shields. Tightly fitting safety goggles (chemical goggles). Wear face shield if splashing hazard exists.

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. head protection, apron, protective boots, chemical-protection suit.

General safety and hygiene measures:

RECOMMENDATIONS FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS Wear long sleeved work shirt and long work pants in addition to other stated personal protective equipment. Work place should be equipped with a shower and an eye wash. Handle in accordance with good industrial hygiene and safety practice. Personal protective equipment should be decontaminated prior to reuse. Gloves must be inspected regularly and prior to each use. Replace if necessary (e.g. pinhole leaks). Take off immediately all contaminated clothing. Store work clothing separately. Hands and/or face should be washed before breaks and at the end of the shift. No eating, drinking, smoking or tobacco use at the place of work. Keep away from food, drink and animal feeding stuffs.

9. Physical and Chemical Properties

Form:	powder
Odour:	mild, of yeast
Odour threshold:	Not determined due to potential health hazard by inhalation.
Colour:	brown
pH value:	approx. 4 - 6
	(1%(m), 20°C)
Melting point:	not applicable, The data refers to the
0.1	carrier material.
Boiling point:	The product is a non-volatile solid.
Flash point:	not applicable
Lower explosion limit:	As a result of our experience with this
·	product and our knowledge of its
	composition we do not expect any
	hazard as long as the product is used
	appropriately and in accordance with
	the intended use.
Upper explosion limit:	As a result of our experience with this
	product and our knowledge of its
	composition we do not expect any
	hazard as long as the product is used
	appropriately and in accordance with
	the intended use.
Bulk density:	approx. 619 kg/m3
	(23 °C)
	Apparent density after tamping
Vapour density:	not applicable
Self-ignition	not determined
temperature:	

Page: 5/11 (30628420/SDS CPA US/EN)

Revision date : 2019/04/30 Version: 12.0	Page: 6/11 (30628420/SDS_CPA_US/EN)
Thermal decomposition:	carbon monoxide, carbon dioxide Stable at ambient temperature. If product is heated above decomposition temperature toxic vapours may be released. To avoid thermal decomposition, do not overheat.
Solubility in water: Evaporation rate: Other Information:	insoluble not applicable If necessary, information on other physical and chemical parameters is indicated in this section.

10. Stability and Reactivity

Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Corrosion to metals: Corrosive effects to metal are not anticipated.

Oxidizing properties: Not an oxidizer.

Chemical stability

The product is stable if stored and handled as prescribed/indicated.

Possibility of hazardous reactions

No hazardous reactions if stored and handled as prescribed/indicated.

Conditions to avoid

Avoid all sources of ignition: heat, sparks, open flame. Avoid prolonged storage. Avoid electro-static discharge. Avoid contamination. Avoid prolonged exposure to extreme heat. Avoid extreme temperatures. This product may form an explosive mixture if: 1. the dust is suspended in the atmosphere as a dust cloud AND 2. the concentration of the dust is above the lower explosion limit (LEL) AND 3. the limiting oxygen concentration (LOC) is exceeded.

Incompatible materials

caustics

Hazardous decomposition products

Decomposition products: Hazardous decomposition products: No hazardous decomposition products if stored and handled as prescribed/indicated.

Thermal decomposition: Possible thermal decomposition products: carbon monoxide, carbon dioxide Stable at ambient temperature. If product is heated above decomposition temperature toxic vapours may be released. To avoid thermal decomposition, do not overheat.

11. Toxicological information

Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

Revision date : 2019/04/30

Version: 12.0

Page: 7/11 (30628420/SDS_CPA_US/EN)

Acute Toxicity/Effects

Acute toxicity

Assessment of acute toxicity: Relatively nontoxic after single ingestion. Slightly toxic after short-term skin contact.

Oral

Type of value: LD50 Species: rat (male/female) Value: > 5,000 mg/kg No mortality was observed.

Inhalation

Type of value: LC50 Species: rat Value: > 5.0 mg/l (calculated) The product has not been tested. The statement has been derived from the properties of the individual components.

Type of value: ATE Value: > 5.0000 mg/l Determined for dust

Dermal

Type of value: LD50 Species: rabbit (male/female) Value: > 2,000 mg/kg No mortality was observed.

<u>Assessment other acute effects</u> Assessment of STOT single: The available information is not sufficient for the evaluation of specific target organ toxicity.

The product has not been tested. The statement has been derived from the properties of the individual components.

Irritation / corrosion

Assessment of irritating effects: May cause slight but temporary irritation to the eyes. Contact may result in skin irritation.

<u>Skin</u> Species: rabbit Result: non-irritant Method: Primary skin irritation test

Eye

Species: rabbit Result: non-irritant Method: Primary eye irritation test

Sensitization

Assessment of sensitization: The product has not been tested. The statement has been derived from the properties of the individual components. There is no evidence of a skin-sensitizing potential.

Information on: Abamectin Guinea pig maximization test Species: guinea pig Result: Non-sensitizing.

Revision date : 2019/04/30 Version: 12.0

Method: OECD Guideline 406

Chronic Toxicity/Effects

Repeated dose toxicity

Assessment of repeated dose toxicity: The product has not been tested. The statement has been derived from the properties of the individual components. A health hazard potential can essentially be excluded based on the low concentration of the component in the product.

Information on: Abamectin

Assessment of repeated dose toxicity: Repeated inhalation exposure to small quantities may affect certain organs.

Repeated oral exposure to small quantities may affect certain organs.

Genetic toxicity

Assessment of mutagenicity: The product has not been tested. The statement has been derived from the properties of the individual components. Mutagenicity tests revealed no genotoxic potential.

Carcinogenicity

Assessment of carcinogenicity: The product has not been tested. The statement has been derived from the properties of the individual components. The results of various animal studies gave no indication of a carcinogenic effect.

Reproductive toxicity

Assessment of reproduction toxicity: The product has not been tested. The statement has been derived from the properties of the individual components. The results of animal studies gave no indication of a fertility impairing effect.

Teratogenicity

Assessment of teratogenicity: The product has not been tested. The statement has been derived from the properties of the individual components. A health hazard potential can essentially be excluded based on the low concentration of the component in the product.

Information on: Abamectin Assessment of teratogenicity: Indications of possible developmental toxicity/teratogenicity were seen in animal studies.

Causes developmental effects in animals at high, maternally toxic doses.

Symptoms of Exposure

(Further) symptoms and / or effects are not known so far

12. Ecological Information

Toxicity

Aquatic toxicity Assessment of aquatic toxicity: Very toxic (acute effect) to fish. Very toxic (acute effect) to aquatic invertebrates. Acutely toxic for aquatic plants.

Toxicity to fish

Revision date : 2019/04/30 Version: 12.0 Page: 9/11 (30628420/SDS_CPA_US/EN)

Information on: Abamectin LC50 (96 h) 0.0036 mg/l, Oncorhynchus mykiss

Aquatic invertebrates

Information on: Abamectin EC50 (48 h) 0.00034 mg/l, Daphnia magna

Aquatic plants

Information on: Abamectin EC50 (72 h) > 0.00159 mg/l, Pseudokirchneriella subcapitata

Persistence and degradability

<u>Assessment biodegradation and elimination (H2O)</u> The product has not been tested. The statement has been derived from the properties of the individual components.

Bioaccumulative potential

<u>Assessment bioaccumulation potential</u> The product has not been tested. The statement has been derived from the properties of the individual components.

Assessment bioaccumulation potential

Information on: Abamectin

Accumulation in organisms is not to be expected.

Mobility in soil

<u>Assessment transport between environmental compartments</u> The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Abamectin

Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.

13. Disposal considerations

Waste disposal of substance:

Pesticide wastes are regulated. If pesticide wastes cannot be disposed of according to label instructions, contact the State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Revision date : 2019/04/30

Version: 12.0

Container disposal:

Rinse thoroughly at least three times (triple rinse) in accordance with EPA recommendations. Consult state or local disposal authorities for approved alternative procedures such as container recycling. Recommend crushing, puncturing or other means to prevent unauthorized use of used containers.

14. Transport Information

Land transport

USDOT

Not classified as a dangerous good under transport regulations

Sea transport IMDG Hazard class: Packing group: ID number: Hazard label: Marine pollutant: Proper shipping name:	9 III UN 3077 9, EHSM YES ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (contains ABAMECTIN)
Air transport IATA/ICAO	
Hazard class: Packing group: ID number: Hazard label: Proper shipping name:	9 III UN 3077 9, EHSM ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (contains ABAMECTIN)

Further information

The following provisions may apply for product in packages containing a net quantity of 5 kg or less ADR, RID, ADN: Special Provision 375; IMDG: 2.10.2.7; IATA: A197; TDG: Special Provision 99(2); 49CFR: §171.4 (c) (2).

15. Regulatory Information

Federal Regulations

Registration status:

Crop Protection TSCA, US released / exempt

Chemical TSCA, US blocked / not listed

EPCRA 311/312 (Hazard categories): Refer to SDS section 2 for GHS hazard classes applicable for this product.

Page: 10/11 (30628420/SDS_CPA_US/EN)

Revision date : 2019/04/30 Version: 12.0

Page: 11/11 (30628420/SDS_CPA_US/EN)

State regulations

State	<u>RTK</u>
PA	
MA	

<u>CAS Number</u> 112945-52-5 <u>Chemical name</u> Silica Silica

Safe Drinking Water & Toxic Enforcement Act, CA Prop. 65:

112945-52-5

BASF Risk Assessment, CA Prop. 65:

Based on an evaluation of the product's composition and the use(s), this product does not require a California Proposition 65 Warning.

NFPA Hazard codes:

Health: 1 Fire: 2 Reactivity: 1 Special:

Labeling requirements under FIFRA

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label.

CAUTION: KEEP OUT OF REACH OF CHILDREN. KEEP OUT OF REACH OF DOMESTIC ANIMALS. HARMFUL IF SWALLOWED. HARMFUL IF INHALED. HARMFUL IF ABSORBED THROUGH SKIN. Avoid inhalation of dusts. Avoid contact with the skin, eyes and clothing. Wash thoroughly after handling.

16. Other Information

SDS Prepared by: BASF NA Product Regulations SDS Prepared on: 2019/04/30

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

END OF DATA SHEET